

The future of wet and dry vacuum cleaning

The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time, has features making daily cleaning tasks easier, faster and safer.

VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously.

Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter.


Go to the specific factsheet for further information.

- The dual filtration system allows the machine to clean both wet and dry applications without the need to change filter
- Multi fit hose connector, stainless steel tube, accessory storage and nozzle parking
- Easy changing of filters with a hinged motor head to protect the machine and speed up the process




Picture shown may not represent model quoted











● Standard equipment

Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Hose Vacuum Cleaner					
HOSE D32 1.9M CPL	107407308	1	•	•	•
Vac Nozzle Wet					
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1			
HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	•	•	•
Hard Floor Nozzle					
FLOOR NOZZLE D32 BRUSH	107407311	1	•	•	•
Round Brush Nozzle					
BRUSH NOZZLE D32	107407312	1	•	•	•
Crevice Nozzle					
CREVICE NOZZLE D32	107407334	1	•	•	•
Filter					
 CARTRIDGE FILTER	107407297	1		•	•
SACK FILTER	107407296	1	•		
Special Filter					
WET FILTER	107407299	1		•	•
Tube					




The future of wet and dry vacuum cleaning

Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
 EXTENSION TUBE D32 - SS	107407309	1	•	•	•

• Standard equipment








Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
Hose Vacuum Cleaner					
 HOSE D32 1.9M CPL	107407308	1	•	•	•
Vac Nozzle Wet					
 FLOOR NOZZLE D32 RUBBER STRIP	107407310	1			
 HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	•	•	•
Hard Floor Nozzle					
 FLOOR NOZZLE D32 BRUSH	107407311	1	•	•	•
Round Brush Nozzle					
 BRUSH NOZZLE D32	107407312	1	•	•	•
Crevice Nozzle					
 CREVICE NOZZLE D32	107407334	1	•	•	•
Filter					
 CARTRIDGE FILTER	107407297	1		•	•
 SACK FILTER	107407296	1	•		
Special Filter					
 WET FILTER	107407299	1		•	•
Tube					
 EXTENSION TUBE D32 - SS	107407309	1	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	VL500 35 BDF 100V 50-60HZ JP
Hose Vacuum Cleaner			
 HOSE D32 1.9M CPL	107407308	1	•
Vac Nozzle Wet			
 FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	
 HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	•



The future of wet and dry vacuum cleaning

Included accessories		Ref. no.	Min. required	VL500 35 BDF 100V 50-60HZ JP
Hard Floor Nozzle				
	FLOOR NOZZLE D32 BRUSH	107407311	1	•
Round Brush Nozzle				
	BRUSH NOZZLE D32	107407312	1	•
Crevice Nozzle				
	CREVICE NOZZLE D32	107407334	1	•
Filter				
	CARTRIDGE FILTER	107407297	1	
	SACK FILTER	107407296	1	
Special Filter				
	WET FILTER	107407299	1	
Tube				
	EXTENSION TUBE D32 - SS	107407309	1	•

Model	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Ref. no.	107405155	107405160	107405171

PRODUCT FEATURES

Tube holder	•	•	•
Dual filter system		•	•
Storage of accessories	•	•	•

Model	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
Ref. no.	107405179	107405202	107405534

PRODUCT FEATURES

Tube holder	•	•	•
Dual filter system		•	•
Storage of accessories	•	•	•



The future of wet and dry vacuum cleaning

Model	VL500 35 BDF 100V 50-60HZ JP
Ref. no.	107408813

PRODUCT FEATURES

Tube holder	•
Dual filter system	•
Storage of accessories	•

Technical specifications	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Cable length (m)/ plug type	10/EU	10/EU	10/UK
Voltage/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
IP protection class	IP24	IP24	IP24
Rated power (W)	1350	1350	1350
Power Piec (W)	1250	1250	1250
Suction power end of tube (W)	250	250	250
Airflow (l/sec.)	48	48	48
Vacuum at nozzle (kPa)	20	20	20
Sound pressure level (dB(A) BS 5415)	62	62	62
Sound power level (dB(A) IEC 704)	81	81	81
Tank capacity (l)	35	35	35
Dust bag capacity (l)	18	18	18
Sack filter area (cm ²)	1051	-	-
Wet filter area (cm ²)	-	1051	1051
Cartridge filter area (cm ²)	-	2070	2070
Hose length (m)	1.9	1.9	1.9
Inlet (mm)	32	32	32
Length x width x height (mm)	460x420x730	460x420x730	460x420x730
Weight (kg)	11.5	12.5	12.5

Technical specifications	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
Cable length (m)/ plug type	10/AUS	10/ZA	10/CN
Voltage/frequency (V/Hz)	220-240/50	220-240/50-60	220-240/50-60
IP protection class	IP24	IP24	IP24
Rated power (W)	1350	1350	1350
Power Piec (W)	1250	1250	1250
Suction power end of tube (W)	250	250	250
Airflow (l/sec.)	48	48	48
Vacuum at nozzle (kPa)	20	20	20
Sound pressure level (dB(A) BS 5415)	62	62	62



The future of wet and dry vacuum cleaning




Technical specifications	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
Sound power level (dB(A) IEC 704)	81	81	81
Tank capacity (l)	35	35	35
Dust bag capacity (l)	18	18	18
Sack filter area (cm ²)	1051	-	-
Wet filter area (cm ²)	-	1051	1051
Cartridge filter area (cm ²)	-	2070	2070
Hose length (m)	1.9	1.9	1.9
Inlet (mm)	32	32	32
Length x width x height (mm)	460x420x730	460x420x730	460x420x730
Weight (kg)	11.5	12.5	12.5

Technical specifications	VL500 35 BDF 100V 50-60HZ JP
Cable length (m)/ plug type	15/JP
Voltage/frequency (V/Hz)	100/50-60
IP protection class	IP24
Rated power (W)	1250
Power Piec (W)	1150
Suction power end of tube (W)	250
Airflow (l/sec.)	48
Vacuum at nozzle (kPa)	20
Sound pressure level (dB(A) BS 5415)	62
Sound power level (dB(A) IEC 704)	81
Tank capacity (l)	35
Dust bag capacity (l)	18
Sack filter area (cm ²)	-
Wet filter area (cm ²)	1051
Cartridge filter area (cm ²)	2070
Hose length (m)	1.9
Inlet (mm)	32
Length x width x height (mm)	460x420x730
Weight (kg)	12.5



The future of wet and dry vacuum cleaning

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment



Accessories		Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Filter						
	CARTRIDGE FILTER	107407297	1		●	●
	HEPA CARTRIDGE FILTER	107409006	1		○	○
	SACK FILTER	107407296	1	●		
Special Filter						
	WET FILTER	107407299	1		●	●
Hose Vacuum Cleaner						
	HOSE D32 1.9M CPL	107407308	1	●	●	●
Tube						
	EXTENSION TUBE D32 - SS	107407309	1	●	●	●
Vac Nozzle Wet						
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	○	○	○
	HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	●	●	●
	HARDFLOOR NOZZLE 400MM X Ø32MM - KIT	107416576	0	○	○	○
Hard Floor Nozzle						
	FLOOR NOZZLE D32 BRUSH	107407311	1	●	●	●
Round Brush Nozzle						
	BRUSH NOZZLE D32	107407312	1	●	●	●
Crevice Nozzle						
	CREVICE NOZZLE D32	107407334	1	●	●	●
Filter Bag						
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	107419592	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment


Accessories		Ref. no.	Min. required	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
Filter						
	CARTRIDGE FILTER	107407297	1		●	●



The future of wet and dry vacuum cleaning



Accessories		Ref. no.	Min. required	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BDF 230V/50 ZA	VL500 35 BDF 230V/50HZ CN
	HEPA CARTRIDGE FILTER	107409006	1		○	○
	SACK FILTER	107407296	1	●		
Special Filter						
	WET FILTER	107407299	1		●	●
Hose Vacuum Cleaner						
	HOSE D32 1.9M CPL	107407308	1	●	●	●
Tube						
	EXTENSION TUBE D32 - SS	107407309	1	●	●	●
Vac Nozzle Wet						
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	○	○	○
	HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	●	●	●
	HARDFLOOR NOZZLE 400MM X Ø32MM - KIT	107416576	0	○	○	○
Hard Floor Nozzle						
	FLOOR NOZZLE D32 BRUSH	107407311	1	●	●	●
Round Brush Nozzle						
	BRUSH NOZZLE D32	107407312	1	●	●	●
Crevice Nozzle						
	CREVICE NOZZLE D32	107407334	1	●	●	●
Filter Bag						
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	107419592	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VL500 35 BDF 100V 50-60HZ JP
Filter				
	CARTRIDGE FILTER	107407297	1	
	HEPA CARTRIDGE FILTER	107409006	1	
	SACK FILTER	107407296	1	○
Special Filter				
	WET FILTER	107407299	1	
Hose Vacuum Cleaner				



The future of wet and dry vacuum cleaning

Accessories		Ref. no.	Min. required	VL500 35 BDF 100V 50-60HZ JP
	HOSE D32 1.9M CPL	107407308	1	•
Tube				
	EXTENSION TUBE D32 - SS	107407309	1	•
Vac Nozzle Wet				
	FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	○
	HARDFLOOR NOZZLE 300MM X Ø32MM - KIT	107416575	1	•
	HARDFLOOR NOZZLE 400MM X Ø32MM - KIT	107416576	0	○
Hard Floor Nozzle				
	FLOOR NOZZLE D32 BRUSH	107407311	1	•
Round Brush Nozzle				
	BRUSH NOZZLE D32	107407312	1	•
Crevice Nozzle				
	CREVICE NOZZLE D32	107407334	1	•
Filter Bag				
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	107419592	0	○